

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	Full (3)	("5231484" "5686963" "5719632").PN.	USPAT	OR	ON	2005/02/03 09:17
L2	ABS (50)	(380/263).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 09:17
L3	Full (12)	"variable encryption algorithm" "varying encryption algorithm"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:17
L4	Full (2)	@ad<"19990615" and ((encrypt\$3 decrypt\$3) near (vary\$3)) same block	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:17
L5	ABS + Kwik (52)	("1394" "IEEE1394" firewire) same (disk disc) same multiplex\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:17
L6	ABS + Kwik (3)	@ad<"19990615" and (algorithm near priority) and encryption	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:17
L7	Full (1)	@ad<"19990615" and (((cdrom cd-rom dvd) near (rewrit\$ rerecord\$ re-record\$ re-writ\$)) same \$crypt\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:17
L8	Full (2)	@ad<"19990615" and (re-encrypt reencrypt) same (("same" identical) near algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:17
L9	ABS (31)	((380/263).CCLS.) and @ad<"19990615"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:18
L10	ABS + Kwik (15)	@ad<"19990615" and (encrypt\$3 decrypt\$3) and (variable adj length) and (search near3 next)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:20
L11	Full (7)	@ad<"19990615" and (encrypt\$3 decrypt\$3) and (variable adj length) and (synch adj pattern)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:21
L12	ABS + Kwik (30)	@ad<"19990615" and (encrypt\$3 decrypt\$3) and (variable adj length) and (sync\$3 adj pattern)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 09:21